

INSTALLATION INSTRUCTIONS FOR MOUNTING

LUVERNE BULL BARS WITH THE FOLLOWING MODEL NOS.: 300220, 300260, 300320, 300360 – BULL BAR ASSEMBLY 300751 – BRACKET PACKAGE

2007 AND NEWER TOYOTA TUNDRA PICKUPS

- 1. READ THE INSTRUCTIONS COMPLETELY AND CHECK TO MAKE SURE THAT ALL OF THE REQUIRED PARTS ARE ON HAND BEFORE STARTING THE INSTALLATION. THE CARTONS SHOULD CONTAIN:
 - (1) BULL BAR
 - (1) BRACKET PACKAGE:
 - (1) MOUNTING BRACKET, LH
 - (1) MOUNTING BRACKET, RH
 - (1) FASTENER PACKAGE
- 2. REMOVE THE RIGHT HAND FRONT TOW HOOK (YOU WILL NOT REINSTALL IT).
- 3. INSTALL THE RIGHT HAND MOUNTING BRACKET (ITEM #2) TO THE FRAME AS SHOWN IN FIG. 1 USING THE FACTORY TOW HOOK BOLTS AND THE SUPPLIED CLIPPED FLAT WASHER (ITEM #4). THE CLIPPED EDGE OF THE WASHER MUST BE TOWARD THE OUTBOARD SIDE OF THE VEHICLE (SEE FIG. 1). LEAVE THE BOLTS FINGER TIGHT AT THIS TIME.
- 4. REPEAT STEPS 2 & 3 ON THE LEFT HAND SIDE.

NOTE: BASED ON YOUR STATE AND LOCAL LAWS, DETERMINE IF YOU NEED TO RELOCATE YOUR LICENSE PLATE PRIOR TO STEP #5. REMOVE/RELOCATE/INSTALL YOUR LICENSE PLATE BRACKET AND LICENSE PLATE BEFORE MOUNTING THE BULL BAR TO YOUR VEHICLE (SEE FIG 1).

- 5 INSTALL THE BULL BAR TO THE MOUNTING BRACKETS. THE WELDED TABS ON THE BULL BAR FIT ON THE INBOARD SIDE OF THE MOUTING BRACKETS. FASTEN WITH THE 3/8-16 X 1-1/4 BOLTS (ITEM #5), 3/8" FLAT WASHERS (ITEM #6) (ONE ON THE BOLT SIDE, ONE ON THE NUT SIDE OF THE BRACKET), AND 3/8-16 SERRATED FLANGE NUTS (ITEM #7). ADJUST THE BULL BAR IN AND OUT AND UP AND DOWN AS NEEDED, THEN TIGHTEN THE FASTENERS.
- 6. TORQUE 3/8" BOLTS/NUTS TO 26 LB-FT.
- 7. TORQUE TOW HOOK BOLTS TO FACTORY SPECS.



1200 E. Birch St.

Brandon, SD 57005

REVA 20JAN16 305027 SHEET 1 OF 3 27OCT10

SERVICE PARTS LIST

ITEM	PART NO.	QTY	DESCRIPTION
1	300220	1	BULL BAR, 4" BOT MNT, SST,W/O SKD PL
1	300260	1	BULL BAR, 4" BOT MNT, BLK,W/O SKD PL
1	300320	1	BULL BAR, 3" BOT MNT, SST,W/O SKD PL
1	300360	1	BULL BAR, 3" BOT MNT, BLK,W/O SKD PL
2	305029	1	MOUNTING BRACKET, RH
3	305030	1	MOUNTING BRACKET, LH
4	103779	4	FLAT WASHER, CLIPPED, 1/2", ZP
5	100047	4	HEX HEAD SCREW, 3/8-16 X 1-1/4, ZP
6	100062	8	FLAT WASHER, 3/8", ZP
7	100181	4	SERRATED FLANGE NUT, 3/8-16, ZP
8	108023	4	HEX HEAD SCREW, SELF TAP, 1/4-20, ZP
9	100170	4	NUT, PLASTIC, SQUARE, 1/4", WHITE



1200 E. Birch St.

Brandon, SD 57005

