



# CURT™

The **FIRST** Name  
in Towing Products™

# TRAILER HITCHES



# Bring It®

CURT Manufacturing strives to be the #1 source for trailer hitches and we are proud to say our entire receiver hitch line is manufactured in the USA. Our focus is to introduce hitches for new vehicles before the competition, ensure their availability and lend support to the closing of your sale.

We want your customers to Bring It® with their trailer hitch for years to come, which is why CURT hitches undergo stringent production, design and testing processes. Utilizing state-of-the-art equipment, our lasers and precision robotic welders ensure strength and superior fit.

In addition to our top-quality manufacturing processes, our finishing process is a step above the rest. All trailer hitches are mechanically de-scaled, then dipped in a liquid Aquence® coating, covering the entire hitch, inside and out, preventing rust and corrosion. Afterwards, our high-gloss or carbide powder coat is applied, which co-cures with the A-coat, offering superior rust, chip and UV protection.

We are so confident in the quality of our trailer hitches that we back them up with a limited lifetime warranty on their construction and a one year finish warranty.

## Advantages of CURT trailer hitches



All receiver hitches made in the USA



Superior rust, chip and UV protection



Precision robotic welding



**1 1/4**  
INCH **CLASS I & II**  
**TRAILER HITCHES**



**GTW** Up to 3,500 lbs.

**TW** Up to 350 lbs.

Pin and clip included with all trailer hitches that have an 1 1/4" receiver tube opening (class I and II)

**2**  
INCH **CLASS III & IV**  
**TRAILER HITCHES**



**GTW** 3,500 to 12,000 lbs.

**TW** 350 to 1,200 lbs.

**WD** Up to 12,000 lbs.

**WD TW** Up to 1,200 lbs.

**2**  
INCH **XTRA DUTY & XTRA DUTY +**

**XD XD+**



**GTW** 16,000 to 17,000 lbs.

**TW** 2,400 to 2,550 lbs.

**WD** 17,000 lbs.

**WD TW** 2,400 to 2,550 lbs.

**2 1/2**  
INCH **COMMERCIAL DUTY & COMMERCIAL DUTY +**

**CD CD+**



**GTW** 18,000 to 20,000 lbs.

**TW** 2,700 lbs.

**WD** 18,000 to 20,000 lbs.

**WD TW** 2,700 lbs.

**2**  
INCH **FRONT MOUNT**  
**TRAILER HITCHES**



**GTW** Up to 5,000 lbs.

**TW** Up to 500 lbs.

**SLP** 9,000 lbs. straight line pull

**WD** Not available

**2**  
INCH **RV**  
**TRAILER HITCHES**



**GTW** 3,500 to 5,000 lbs.

**TW** 350 to 500 lbs.

**WD** 6,000 lbs.

**WD TW** 600 lbs.

# BALL MOUNT ORDERING OPTIONS

When ordering an 1 1/4" receiver tube trailer hitch, the four ordering options are detailed below. A pin & clip are included with each 1 1/4" trailer hitch.

## Standard

Hitch only - no ball mount



## Option one

Hitch with 1 7/8" ball Euro Mount®



## Option two

Hitch with 2" ball Euro Mount®



## Option three

Hitch with old-style ball mount



Ordering Option	Add-On Number	Example of Order Number	Description of Contents
Standard	None	12226	12226 trailer hitch, no ball mount
Option one	1	122261	12226 trailer hitch, Euro Mount® with 1 7/8" trailer ball
Option two	2	122262	12226 trailer hitch, Euro Mount® with 2" trailer ball
Option three	3	122263	12226 trailer hitch, old-style ball mount

All of the options listed above include a pin & clip

## 2 INCH FRONT MOUNT ACCESSORIES

- Use hitch-mounted accessories while towing a trailer
- For trailer hitches with a 2" x 2" receiver tube opening

Bulk#	Description
31001	Step pad with anti-skid surface
31002	License plate holder
31007	Skid shield
31006	Spare tire mount
31005	Winch mount handles
31010	Winch mount
31009	Winch mount with handles



## 2 INCH RV TRAILER HITCHES

- Tow a vehicle or bike rack behind an RV



Bulk#	Weight Capacity	Weight Distribution	Fits Frames	Drop	Description
13701	5,000 / 500 lbs. GTW	6,000 / 600 lbs. WD	Up to 51" in width	2"	Adjustable RV hitch with three piece design
13702	5,000 / 500 lbs. GTW	6,000 / 600 lbs. WD	Up to 51" in width	--	Adjustable RV hitch with three piece design
13703	3,500 / 350 lbs. GTW	--	Up to 72" in width	--	Adjustable RV hitch with three piece design

## 2 INCH UNIVERSAL WELD-ON TRAILER HITCHES

- Great for use with utility boxes
- 2" x 2" receiver tube openings



15901



15902



15903

Bulk#	GTW / TW	Drop	Maximum Width	Minimum Width
15901	12,000 / 1,200 lbs.	5"	43"	18"
15902	12,000 / 1,200 lbs.	13 1/2"	43"	18"
15903	15,000 / 1,500 lbs.	13 1/2"	60"	18"

## 2 INCH BUMPER HITCHES

- Bolts to the bottom of the pickup's step bumper
- Offers lower hitch point to provide level-trailer towing
- 2" x 2" receiver tube openings
- Mounting hardware included
- Safety chain hook-ups included
- Attractive, full-color retail packaging



19030



19031

Pkg#	GTW / TW	Bolt Pattern	Fits	Description
19030	5,000 / 500 lbs.	Width on center 8 1/2"	Most factory steel bumpers	Bumper hitch and spacer kit
19031	5,000 / 500 lbs.	Width on center 10 1/2"	Westin and DMI bumpers	Bumper hitch and spacer kit

## 2 INCH RV BUMPER HITCHES

- 2" x 2" receiver tube openings
- Mounting hardware included
- Attractive, full-color retail packaging



19100



19101

Pkg#	GTW / TW	Fits	Description
19100	3,500 / 350 lbs.	4" x 4" channel bumpers	RV bumper hitch
19101	3,500 / 350 lbs.	2" x 2" channel bumpers	RV bumper hitch



Scan for more information

Connect with us!



Online  
[CURTMFG.COM](http://CURTMFG.COM)

Toll-free  
[877.CURTMFG](tel:877.CURTMFG)