

BALL MOUNTS


Scan for live digital version

CURT has invested in the technology necessary to produce a full line of exceptionally strong and attractive ball mounts. The vast majority of our line is CNC formed and assembled using robotic welding. Our advanced manufacturing techniques ensure accurate, consistent cuts and strong, clean weld lines. Once welded, these mounts undergo a process that creates a flawless surface for the application of our highly-durable powder coat finish.

With a ball mount line that includes the Euro Mount®, Fusion Mount, loaded and adjustable mounts, we are sure to have the mount your customers need to Bring It®!

Measuring a ball mount


A: Rise I B: Drop I C: Hole Size I D: Length





ADVANTAGES OF THE EURO MOUNT®

If your customer is looking for a simple, maintenance-free 1 1/4" ball mount option, the Euro Mount® is the perfect choice. With the Euro Mount®, there are fewer installation requirements, making it even easier to choose the correct 1 1/4" ball mount. Take a look below to find the Euro Mount® that works best for their towing needs.



No tools required, no torque specifications



Includes 1 7/8" or 2" trailer ball, no need to purchase one separately



Easy installation, simply insert the pin & clip, and your customer is ready to tow



Sleek, modern look, similar to popular European designs

Each Euro Mount® was designed to replace a common, old-style ball mount, making trailer ball installation unnecessary

The comparisons below illustrate each Euro Mount® replacing a common, old-style ball mount



45561 Euro Mount® and 45520 old-style



45591 Euro Mount® and 45522 old-style



45571 Euro Mount® and 45521 old-style




45581 Euro Mount® and 45521 old-style



45551 Euro Mount® and 45519 old-style

How to measure the Euro Mount®:

Required Positive Ball Height = A-B



1¼ INCH EURO MOUNT® BALL MOUNTS



Multi-pack display

- For trailer hitches with an 1 1/4" x 1 1/4" receiver tube opening
- Permanently attached 1 7/8" or 2" trailer ball
- Two-mount multi-packs include an attractive point-of-purchase tray
- This product is covered by one or more patents: D610,051 S; D610,492 S; D610,493 S; D610,494 S; D610,954 S
- Durable carbide powder coat finish

Bulk#	Multi-Pack#	Ball Diameter	Ball Height	Length	GTW / TW
45551	45551002	1 7/8"	2 3/4"	10"	3,500 / 350 lbs.
45571	45571002	1 7/8"	4 5/8"	7 1/4"	3,500 / 350 lbs.
45561	45561002	1 7/8"	5 1/8"	9 3/4"	3,500 / 350 lbs.
45591	45591002	1 7/8"	5 1/8"	11 1/4"	3,500 / 350 lbs.
45581	45581002	1 7/8"	- 3/4"	8 3/4"	3,500 / 350 lbs.
45552	45552002	2"	2 3/4"	10"	3,500 / 350 lbs.
45572	45572002	2"	4 5/8"	7 1/4"	3,500 / 350 lbs.
45562	45562002	2"	5 1/8"	9 3/4"	3,500 / 350 lbs.
45592	45592002	2"	5 1/8"	11 1/4"	3,500 / 350 lbs.
45582	45582002	2"	- 3/4"	8 3/4"	3,500 / 350 lbs.



45551



45552



45571



45572



45561



45562



45591



45592



45581



45582

1¼ INCH BALL MOUNTS CLASS I & II

- For trailer hitches with an 1 1/4" x 1 1/4" receiver tube opening
- Durable powder coat finish


45018


45518


45019


45519


45503


45510


45027


45017


45022


45521


45028


45021


45520


45024


45014


45026



45016


45522


45023


45000


45025


45015

Bulk#	Drop	Rise	Length	GTW / TW	Hole
45503	1"	3/8"	7 13/16"	3,500 / 350 lbs.	3/4"
45018	1 1/4"	5/8"	6 3/4"	2,000 / 200 lbs.	3/4"
45019	1 1/4"	5/8"	9 3/4"	2,000 / 200 lbs.	3/4"
45518	1 1/4"	3/4"	6 3/4"	3,500 / 350 lbs.	3/4"
45519	1 1/4"	3/4"	9 3/4"	3,500 / 350 lbs.	3/4"
45027	3 1/4"	2 5/8"	6 1/4"	2,000 / 200 lbs.	3/4"
45017	3 1/4"	2 5/8"	6 1/4"	3,500 / 350 lbs.	3/4"
45022	3 1/4"	2 5/8"	7 1/4"	2,000 / 200 lbs.	3/4"
45521	3 1/4"	2 5/8"	7 1/4"	3,500 / 350 lbs.	3/4"
45026	3 1/4"	2 5/8"	9 3/8"	2,000 / 200 lbs.	3/4"
45016	3 1/4"	2 5/8"	9 3/8"	3,500 / 350 lbs.	3/4"
45028	6"	4 5/8"	5 9/16"	2,000 / 200 lbs.	3/4"
45021	--	3"	9 1/2"	2,000 / 200 lbs.	3/4"
45520	--	3 1/8"	9 3/4"	3,500 / 350 lbs.	3/4"
45510	--	3 1/8"	10 5/16"	3,500 / 350 lbs.	3/4"
45522	--	3 1/8"	11 1/4"	3,500 / 350 lbs.	3/4"
45023	--	3 3/4"	11 1/2"	2,000 / 200 lbs.	3/4"
45000	--	3 7/8"	13 1/2"	3,500 / 350 lbs.	3/4"
45024	--	5"	9 9/16"	2,000 / 200 lbs.	3/4"
45014	--	5"	9 5/8"	3,500 / 350 lbs.	3/4"
45025	--	5"	11 9/16"	2,000 / 200 lbs.	3/4"
45015	--	5"	11 5/8"	3,500 / 350 lbs.	3/4"

2 INCH BALL MOUNTS CLASS III

- For trailer hitches with a 2" x 2" receiver tube opening
- White box kits include a pin & clip
- Durable chrome or powder coat finish


45030


45290


45040


45260


45033


45010



45050


45296


45060


45270


45020


45250


45070


45297


45080


45280


45012


45032


45090


45100


45110


45112


45052


45031


45051


45011

Black Bulk#	Chrome Bulk#	Retail Pkg#	White Box Kit#	With Pin & Clip Poly Bag#	Drop	Rise	Length	GTW / TW	Hole Size
45030	45290	45031	45032	45033	2"	3/4"	8 1/4"	7,500 / 750 lbs.	1"
45010	--	45011	45012	--	2"	3/4"	8 1/4"	7,500 / 750 lbs.	1"
45040	--	--	--	--	2"	3/4"	10 1/4"	7,500 / 750 lbs.	1"
45020	--	--	--	--	2"	3/4"	10 1/4"	7,500 / 750 lbs.	1"
45260	--	--	--	--	2"	3/4"	12 1/4"	7,500 / 750 lbs.	1"
45250	--	--	--	--	2"	3/4"	12 1/4"	7,500 / 750 lbs.	1"
45050	45296	45051	45052	--	4"	2"	8 1/4"	7,500 / 750 lbs.	1"
45060	--	--	--	--	4"	2"	10 1/4"	7,500 / 750 lbs.	1"
45270	--	--	--	--	4"	2"	13"	7,500 / 750 lbs.	1"
45070	45297	--	--	--	6"	4"	9 1/4"	7,500 / 750 lbs. drop	1"
								6,000 / 600 lbs. rise	
45080	--	--	--	--	6"	4"	12 1/4"	7,500 / 750 lbs. drop	1"
								6,000 / 600 lbs. rise	
45280	--	--	--	--	6"	4"	14 1/4"	7,500 / 750 lbs. drop	1"
								6,000 / 600 lbs. rise	
45090	--	--	--	--	8"	6"	11 1/2"	5,000 / 500 lbs. drop	1"
								3,500 / 350 lbs. rise	
45100	--	--	--	--	8"	6"	13"	5,000 / 500 lbs. drop	1"
								3,500 / 350 lbs. rise	
45110	--	--	--	--	10"	8"	13"	5,000 / 500 lbs. drop	1"
								3,500 / 350 lbs. rise	
45112	--	--	--	--	10"	8"	14"	5,000 / 500 lbs. drop	1"
								3,500 / 350 lbs. rise	

2 INCH LOADED BALL MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- Pin & clip included
- Complete with factory-torqued CURT trailer ball
- Three-mount multi-packs include an attractive point-of-purchase tray


45034


45036


45041


45042


45055


45056


45331


45332


45293


45295


Multi-Pack

Bulk#	White Box Kit#	Multi-Pack#	Drop	Length	GTW / TW	Ball Diameter	Finish
45034	--	45035	2"	8 1/4"	3,500 / 350 lbs.	1 7/8" (40002)	Gloss black
--	45293	--	2"	8 1/4"	3,500 / 350 lbs.	1 7/8" (40002)	Chrome
45036	--	45037	2"	8 1/4"	7,500 / 750 lbs.	2" (40037)	Gloss black
--	45295	--	2"	8 1/4"	7,500 / 750 lbs.	2" (40037)	Chrome
45041	--	45041003	2	8 1/4"	7,500 / 750 lbs.	2 5/16" (40005)	Gloss black
45331	--	--	2"	8 1/2"	15,000 / 1,500 lbs.	2 5/16" (40030)	Carbide
45055	--	--	4"	8 1/4"	3,500 / 350 lbs.	1 7/8" (40002)	Gloss black
45056	--	45057	4"	8 1/4"	7,500 / 750 lbs.	2" (40037)	Gloss black
45042	--	45042003	4"	8 1/4"	7,500 / 750 lbs.	2 5/16" (40005)	Gloss black
45332	--	--	4"	8 1/2"	15,000 / 1,500 lbs.	2 5/16" (40030)	Carbide


2 INCH RIGHT-ANGLE BALL MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- Angled shank for easier insertion into the trailer hitch receiver tube


45047


45067


45087


Easy to insert into receiver tube

Bulk#	Drop	Rise	Length	GTW / TW	Hole Size	Finish
45047	2"	3/4"	10 1/4"	7,500 / 750 lbs.	1"	Gloss black
45067	4"	2"	10 1/4"	7,500 / 750 lbs.	1"	Gloss black
45087	6"	4"	12 1/4"	7,500 / 750 lbs. drop 6,000 / 600 lbs. rise	1"	Gloss black

2 INCH FUSION BALL MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- Pin & clip included
- Permanently attached trailer ball cannot be loosened or stolen
- Two-mount multi-packs include an attractive point-of-purchase tray


45131


45134


45151


45154


45152


45155


45136 45139


45156 45158


45157 45159

Bulk#	Multi-Pack#	Drop	Rise	Length	GTW / TW	Ball Diameter	Finish
45131	45136	2"	--	7 1/2"	5,000 / 500 lbs.	1 7/8"	Gloss black
45134	45139	2"	--	7 1/2"	7,500 / 750 lbs.	2"	Gloss black
45151	45156	4"	--	8 1/8"	5,000 / 500 lbs.	1 7/8"	Gloss black
45154	45158	4"	--	8 1/8"	7,500 / 750 lbs.	2"	Gloss black
45152	45157	--	2"	8 1/8"	5,000 / 500 lbs.	1 7/8"	Gloss black
45155	45159	--	2"	8 1/8"	7,500 / 750 lbs.	2"	Gloss black

2 INCH DUAL-LENGTH BALL MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- Two pin holes for varying length


45220


45230


45240


Two pin holes for varying length

Bulk#	Drop	Rise	Length	GTW / TW	Hole Size	Finish
45220	2"	3/4"	7 1/2" and 10 1/2"	7,500 / 750 lbs.	1"	Gloss black
45230	4"	2"	8 1/8" and 11 1/8"	7,500 / 750 lbs.	1"	Gloss black
45240	6"	4"	9 1/4" and 12 1/4"	7,500 / 750 lbs. drop	1"	Gloss black
				6,000 / 600 lbs. rise		

2 INCH HEAVY DUTY BALL MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- Durable powder coat finish


45336


45446


45338


45448

Bulk#	Drop	Rise	Length	GTW / TW	Hole Size
45336	6"	4 3/4"	9 3/8"	10,000 / 1,000 lbs.	1 1/4"
45446	6"	5"	9 3/8"	12,000 / 1,200 lbs.	1 1/4"
45338	8"	6 3/4"	9 3/8"	10,000 / 1,000 lbs.	1 1/4"
45448	8"	7"	9 3/8"	12,000 / 1,200 lbs.	1 1/4"

2 INCH FORGED BALL MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- Solid, forged construction
- Durable carbide powder coat finish


45340


45341


45342

Bulk#	Case-Pack#	Drop	Rise	Length	GTW / TW	Hole Size
45340 NEW	45340002* NEW	2"	1"	8 1/2"	17,000 / 2,550 lbs.	1 1/4"
45341 NEW	45341002* NEW	4"	3"	7"	17,000 / 2,550 lbs.	1 1/4"
45342 NEW	45342002* NEW	6"	5"	9 1/2"	17,000 / 2,550 lbs.	1 1/4"

* Case-packs are two ball mounts in non-display brown boxes

2 INCH ADJUSTABLE TRI-BALL MOUNT

- Strong, welded trailer balls
- Includes three 5/8" diameter pins & clips
- Durable powder coat finish



45799


45800


45059

Bulk#	Pkg#	Max Drop	Max Rise	Length	GTW	Ball Diameter	Description
--	45799	5 3/4"	5 3/4"	16"	6,000 / 7,500 / 10,000 lbs.	1 7/8", 2", 2 5/16"	Complete tri-ball assembly
45800	--	--	--	--	6,000 / 7,500 / 10,000 lbs.	1 7/8", 2", 2 5/16"	Replacement head for the 45799
45059	--	5 3/4"	5 3/4"	16"	6,000 / 7,500 / 10,000 lbs.	--	Adjustable shank for the 45799 or 45008

2 INCH ADJUSTABLE MULTI-PURPOSE MOUNT & SHANK

- Features welded 2" and 2 5/16" trailer balls and removable clevis bar for lunette rings
- Includes three 5/8" diameter pins & clips
- Patent# 8,534,695



45049


45008


45059





Bulk#	Pkg#	Max Drop	Max Rise	Length	Ball Diameter and Maximum GTW / TW		Description
					2"	2 5/16"	
--	45049	6 1/2"	6 11/16"	14 3/16"	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Complete mount and shank assembly
45008	--	--	--	--	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Replacement head for 45049
45059	--	--	--	--	10,000 / 1,000 lbs. - no ball included		Adjustable shank for 45008 or 45799

2 INCH ADJUSTABLE CHANNEL-STYLE MOUNT

- Up to 14,000 lbs. gross trailer weight
- Built-in anti-rattle
- Durable carbide powder coat finish


45900


45910


45901


45911


45919



45920

Bulk#	Pkg#	Max Drop	Max Rise	Length	GTW / TW	Ball Diam.	Hole Size
--	45900*	6"	5 1/4"	11" and 12"	14,000 / 1,400 lbs.	2", 2 5/16"	--
--	45901*	6 3/4"	5 1/4"	11" and 12"	6,000 / 600 lbs.	--	1"
--	45919* NEW	--	--	--	10,000 lbs.	2"	1 1/4"
--	45920* NEW	--	--	--	13,000 lbs.	2 5/16"	1 1/4"
--	23556**	Channel-style mount lock set					
--	45915** NEW	Channel-style mount replacement pins					
45910	--	Replacement shank for the 45900					
45911	--	Replacement shank for the 45901					

* Packaged in a full color, retail box
** Packaged in a retail clamshell


23556


45915


Built-in anti-rattle

2 INCH ADJUSTABLE BALL MOUNT

- For trailer hitches with a 2" x 2" receiver tube opening
- Adjusts in 1 1/2" increments


45812 Rise


45812 Drop

Bulk#	Max Drop	Max Rise	Length	GTW / TW	Hole Size	Finish
45812	7 1/2"	6 1/4"	12 1/2"	5,000 / 500 lbs.	1"	Gloss black

2 INCH TOWING STARTER KITS

- Includes ball mount, trailer ball, hitch lock, rubber hitch tube cover and pin & clip
- Sturdy, reusable case is designed to be shelved or hung on pegs
- For trailer hitches with a 2" x 2" receiver tube opening





45534

Pkg#	Drop	Rise	Length	GTW / TW	Ball Diameter	Included Parts
45534	2"	3/4"	8 1/4"	7,500 / 750 lbs.	2"	45030 ball mount, 40037 trailer ball, 23579 hitch lock, 22272 hitch tube cover, 21500 pin & clip
45554	4"	2"	8 1/4"	7,500 / 750 lbs.	2"	45050 ball mount, 40037 trailer ball, 23579 hitch lock, 22272 hitch tube cover, 21500 pin & clip

2 INCH MULTI-BALL BALL MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- Permanently attached trailer balls cannot be loosened or stolen



45650



45655



45001



45660



45665



45002

Bulk#	Trailer Balls	Shank Type	Ball Finish	Length	Ball Diameter and Maximum GTW / TW			Finish
					1 7/8"	2"	2 5/16"	
45650	3	Solid	Black	7" and 8 1/2"	5,000 / 500 lbs.	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Gloss black
45655	3	Solid	Chrome	7" and 8 1/2"	5,000 / 500 lbs.	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Gloss black
45001	3	Hollow	Chrome	7" and 8 1/2"	5,000 / 500 lbs.	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Gloss black
45660	2	Solid	Black	8 1/2"	--	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Gloss black
45665	2	Solid	Chrome	8 1/2"	--	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Gloss black
45002	2	Hollow	Chrome	8 1/2"	--	7,500 / 750 lbs.	10,000 / 1,000 lbs.	Gloss black

2 INCH REVERSIBLE BALL MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- Permanently attached trailer balls cannot be loosened or stolen



45643



45644

Bulk#	Shank Type	Drop	Rise	Length	Ball Diameter and Maximum GTW / TW			Finish
					1 7/8"	2"	2 5/16"	
45643	Hollow	4" (1 7/8" ball)	2" (2" ball)	10 1/2"	6,000 / 600 lbs.	7,500 / 750 lbs.	--	Gloss black
45644	Hollow	4" (2" ball)	2" (2 5/16" ball)	10 1/2"	--	7,500 / 750 lbs.	7,500 / 750 lbs.	Gloss black

2 INCH WELDED D-RING MOUNT

- Welded D-ring for straps and hooks
- Durable powder coat finish
- Patent# 8,226,107


45004

Bulk#	Drop	Rise	Length	GTW / TW	Hole Size
45004	6"	4"	10"	7,500 / 750 lbs. drop 6,000 / 600 lbs. rise	1"

2 INCH MULTI-USE BALL MOUNT

- Ideal for carrying a bike rack while towing with a trailer
- Top receiver not for towing use


45810

Bulk#	Drop	Rise	Length	GTW / TW	Hole Size
45810	2"	5 13/16"	12 1/4"	7,500 / 750 lbs.	1"

2 INCH RAISED RECEIVER ADAPTER

- Increases ground clearance for cargo carriers or hitch-mounted bike racks
- Not for towing use


45794

Bulk#	Rise	Length	TW	Finish
45794	4 1/4"	5 1/4"	350 lbs.	Gloss black

2 INCH DUAL RECEIVER EXTENDER


- Provides two receiver tubes for multiple accessories, such as cargo carriers and bike racks. Top receiver not for towing use


45792

Bulk#	Rise	Length	GTW / TW	Finish
45792	5 13/16"	8"	3,500 / 350 lbs.	Gloss black

2 INCH CLEVIS-PIN MOUNT

- For trailer hitches with a 2" x 2" receiver tube opening
- Can be used as standard mount
- Trailer ball sold separately
- Pin & clip included


45821


45821 shown with 40004 ball

Bulk#	Length	GTW / TW	Finish	Hole Size
45821	8 3/4"	6,000 / 600 lbs.	Gloss black	1"

2 INCH SWAY TAB BALL MOUNT

- For trailer hitches with a 2" x 2" receiver tube opening
- Provides mounting tab for sway control trailer ball
- Trailer ball sold separately
- Durable powder coat finish


45820


45820 shown with 40093 ball

Bulk#	Drop	Rise	Length	GTW / TW	Hole Size
45820	2"	3/4"	7 1/2"	7,500 / 750 lbs.	1"

2 INCH TOW HOOK & STRAP MOUNTS

- For trailer hitches with a 2" x 2" receiver tube opening
- GTW and TW are limited to trailer hitch capacity


45824


45825


45500

Bulk#	Length	Finish	Description
45824	7 1/2"	Gloss black	Use with tow straps and hooks, complete with shackle and solid shank
45825	7 1/2"	Gloss black	Use with 83066 vehicle recovery strap or similar
45500	10"	Carbide	Use with 83066 vehicle recovery strap or similar

2½ INCH COMMERCIAL DUTY FORGED BALL MOUNTS

- For trailer hitches with a 2 1/2" x 2 1/2" receiver tube opening
- Solid, forged construction
- Durable carbide powder coat finish


45456


45458

Bulk#	Drop	Rise	Length	GTW / TW	Hole Size
45456 NEW	2"	1/2"	8 1/2"	20,000 / 2,700 lbs.	1 1/4"
45458 NEW	4"	2 1/2"	8 1/2"	20,000 / 2,700 lbs.	1 1/4"

2½ INCH WELDED BALL MOUNTS

- For trailer hitches with a 2 1/2" x 2 1/2" receiver tube opening
- Durable powder coat finish


45425


45426


45427

Bulk#	Drop	Rise	Length	GTW / TW	Hole Size
45425	3"	1 1/2"	9 1/2"	15,000 / 1,500 lbs.	1 1/4"
45426	5"	3 1/2"	10"	15,000 / 1,500 lbs.	1 1/4"
45427	8"	6 1/4"	10 1/2"	15,000 / 1,500 lbs.	1 1/4"

1¼ INCH & 2 INCH VERTICAL RECEIVER TUBE BALL MOUNTS

- For vehicles equipped with vertical receiver tube openings
- Durable powder coat finish

Bulk#	Shank Size	GTW / TW	Hole Size
45507	1 1/4"	3,500 / 300 lbs.	3/4"
45003	2"	4,000 / 400 lbs.	1"


45507


45003

ATV 3-IN-1 ATV BALL MOUNT


- For ATVs equipped with 2" x 2" receiver tube openings or a 45006 adapter, shown below
- Never exceed the ATV's maximum tow rating
- Patent# 8,276,932


Pkg#	Rise	Ball Diameter	Length	Hole Size	Finish
45005	1/4"	1 7/8"	6"	5/8"	Gloss black
45009	1/4"	2"	6"	5/8"	Gloss black




45005









ATV BOLT-ON ATV ADAPTER


- Bolts on to ATV tongue to provide a 2" x 2" receiver tube opening
- Features no-swivel design
- Welded strap-ring included
- Patent pending

Pkg#	Finish	Description
45006	Gloss black	Bolt-on ATV ball mount adapter



45006


No-swivel design



ATV ATV TOWING STARTER KITS


- Kit complete with 3-in-1 ATV ball mount and bolt-on ATV adapter
- Pin & clip included

Pkg#	Rise	Ball Diameter	Length	Hole Size	Finish
45029	1/4"	1 7/8"	6"	5/8"	Gloss black
45038	1/4"	2"	6"	5/8"	Gloss black



45029






1¼ INCH & 2 INCH TRAILER HITCH RECEIVER TUBE OPENING EXTENDERS

- Extends receiver tube, providing additional clearance
- Durable powder coat finish


45789


45791


45795


45796

Bulk#	Shank Size	Extends	GTW / TW
45789	1 1/4"	7"	Not for towing use / 350 lbs.
45791	2"	8"	3,500 / 350 lbs.
45795	2"	14"	3,500 / 350 lbs.
45796	2"	18"	3,500 / 350 lbs.


Measuring extenders and adapters

Length is measured between pin-holes, from center to center



1¼ INCH → ← 2 INCH ← 2½ INCH TRAILER HITCH RECEIVER TUBE OPENING ADAPTERS

- Adapts receiver tube opening to a different size
- 45048 can be cut down from 34" to 24", has integrated safety chain loops and an electrical bracket


45048


45785


45013


45048 - 24" or 36"


45048 - cut to 24"


45790


45770

Bulk#	Adapts From	Adapts To	Length	GTW / TW
45785	1 1/4"	2"	6 1/4"	Not for towing use / 350 lbs.
45790	1 1/4"	2"	10"	Not for towing use / 350 lbs.
45770	2"	1 1/4"	4"	3,500 / 350 lbs.
45775	2"	1 1/4"	9 1/2"	3,500 / 350 lbs.
45780	2"	1 1/4"	15"	3,500 / 350 lbs.
45013	Vertical 2"	Standard 2"	4 1/4"	5,000 / 500 lbs.
45048	2 1/2"	2"	24"	8,000 / 800 lbs.
			34"	6,000 / 600 lbs.


45775



45780

2½ INCH → 2 INCH REDUCER SLEEVE


- Reduces a 2 1/2" x 2 1/2" receiver tube opening to a 2" x 2" opening

Bulk#	Length	Reduces From	Reduces To	Finish
45405	5 1/2"	2 1/2"	2"	Carbide


45405



REDUCER BUSHINGS



- Reduces ball mount hole size, allowing use of trailer balls with smaller shank diameters

Bulk#	Pkg#	Reduces From	Reduces To	Finish
21100	21101	1"	3/4"	Yellow zinc
21200	21201	1 1/4"	1"	Yellow zinc
21300	21301	1 3/8"	1 1/4"	Yellow zinc


21100 21101


21200 21201


21300 21301

BALL MOUNT TONGUE SLEEVE

- Allows for one-wrench tightening of trailer balls
- For use with CURT and other 'wrench flat' trailer balls
- See our trailer ball wrench on page 159
- Patent pending

Pkg#	Description
45007	For 2 1/2" ball mount tongues and 'wrench flat' trailer balls




45007

HITCH PINS & CLIPS AND HITCH LOCKS

- See page 162 for additional towing security products, including locks for hitches, trailers and couplers

Hitch Pins & Clips					
Pin Pkg#	Grooved Pin Pkg#	For Receiver Tube Diameter	Pin Size	Finish	Description
21401	21404 NEW	1 1/4"	1/2"	Zinc	Hitch pin & clip
21501	21505 NEW	2"	5/8"	Zinc	Hitch pin & clip
21502	--	1 1/4"	1/2"	Zinc	Hitch pin & clip with adapter sleeve
		2"	5/8"		
21581	21583 NEW	1 1/4"	5/8"	Zinc	Hitch pin & clip

Hitch Locks				
Lock Pkg#	For Receiver Tube Diameter	Pin Size	Finish	Description
23020	1 1/4"	1/2"	Chrome	Dead bolt hitch lock
23572	1 1/4"	1/2"	Chrome	Barbell hitch lock
23024	1 1/4"	1/2"	Chrome	Dead bolt hitch lock with adapter sleeve
	2"	5/8"		
23580	1 1/4"	1/2"	Stainless	Barbell hitch lock with adapter sleeve
	2"	5/8"		
23579	2"	5/8"	Chrome	Barbell hitch lock
23583	2"	5/8"	Stainless	Barbell hitch lock
23585	2 1/2"	5/8"	Stainless	Barbell hitch lock


21400 21401


21502


21403 21404


23020


23580 Stainless Steel


23579

BALL MOUNTS SORTED BY DROP

- Multi-ball and multi-packs not listed


45080

Part#	Note	Drop	Rise	Length	GTW / TW
1 1/4" Shank, For 1 1/4" x 1 1/4" Receiver Tube Openings					
45021	Bulk black	--	3"	9 1/2"	2,000/200 lbs.
45520	Bulk black	--	3 1/8"	9 3/4"	3,500/350 lbs.
45510	Bulk black	--	3 1/8"	10 5/16"	3,500/350 lbs.
45522	Bulk black	--	3 1/8"	11 1/4"	3,500/350 lbs.
45023	Bulk black	--	3 3/4"	11 1/2"	2,000/200 lbs.
45000	Bulk black	--	3 7/8"	13 1/2"	3,500/350 lbs.
45024	Bulk black	--	5"	9 9/16"	2,000/200 lbs.
45014	Bulk black	--	5"	9 5/8"	3,500/350 lbs.
45025	Bulk black	--	5"	11 9/16"	2,000/200 lbs.
45015	Bulk black	--	5"	11 5/8"	3,500/350 lbs.
45503	Bulk black	1"	3/8"	7 13/16"	3,500/350 lbs.
45018	Bulk black	1 1/4"	5/8"	6 3/4"	2,000/200 lbs.
45019	Bulk black	1 1/4"	5/8"	9 3/4"	2,000/200 lbs.
45518	Bulk black	1 1/4"	3/4"	6 3/4"	3,500/350 lbs.
45519	Bulk black	1 1/4"	3/4"	9 3/4"	3,500/350 lbs.
45027	Bulk black	3 1/4"	2 5/8"	6 1/4"	2,000/200 lbs.
45017	Bulk black	3 1/4"	2 5/8"	6 1/4"	3,500/350 lbs.
45022	Bulk black	3 1/4"	2 5/8"	7 1/4"	2,000/200 lbs.
45521	Bulk black	3 1/4"	2 5/8"	7 1/4"	3,500/350 lbs.
45026	Bulk black	3 1/4"	2 5/8"	9 3/8"	2,000/200 lbs.
45016	Bulk black	3 1/4"	2 5/8"	9 3/8"	3,500/350 lbs.
45028	Bulk black	6"	4 5/8"	5 9/16"	2,000/200 lbs.
2" Shank, For 2" x 2" Receiver Tube Openings					
45152	Fusion 1 7/8"	--	2"	8 1/8"	5,000/500 lbs.
45155	Fusion 2"	--	2"	8 1/8"	7,500/750 lbs.
45131	Fusion 1 7/8"	2"	--	7 1/2"	5,000/500 lbs.
45134	Fusion 2"	2"	--	7 1/2"	7,500/750 lbs.
45034	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45293	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45041	Loaded 2 5/16"	2"	--	8 1/4"	7,500/750 lbs.
45036	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45295	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45331	Loaded 2 5/16"	2"	--	8 1/2"	15,000/1,500 lbs.
45810	Multi-use	2"	--	12 1/4"	7,500/750 lbs.
45820	Sway tab	2"	3/4"	7 1/2"	7,500/750 lbs.
45220	Dual-length	2"	3/4"	7 1/2" & 10 1/2"	7,500/750 lbs.
45030	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45010	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45290	Bulk chrome	2"	3/4"	8 1/4"	7,500/750 lbs.
45031	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45011	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45032	White box	2"	3/4"	8 1/4"	7,500/750 lbs.
45012	White box	2"	3/4"	8 1/4"	7,500/750 lbs.
45033	Poly with P&C	2"	3/4"	8 1/4"	7,500/750 lbs.
45040	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45020	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45296	Bulk chrome	2"	3/4"	10 1/4"	7,500/750 lbs.
45047	Right-angle	2"	3/4"	10 1/4"	7,500/750 lbs.

Part#	Note	Drop	Rise	Length	GTW / TW
2" Shank, For 2" x 2" Receiver Tube Openings (Cont)					
45260	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45250	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45340	Forged	2"	1"	8 1/2"	17,000/2,550 lbs.
45151	Fusion 1 7/8"	4"	--	8 1/8"	5,000/500 lbs.
45154	Fusion 2"	4"	--	8 1/8"	7,500/750 lbs.
45055	Loaded 1 7/8"	4"	--	8 1/4"	3,500/350 lbs.
45056	Loaded 2"	4"	--	8 1/4"	7,500/750 lbs.
45042	Loaded 2 5/16"	4"	--	8 1/4"	7,500/750 lbs.
45332	Loaded 2 5/16"	4"	--	8 1/2"	15,000/1,500 lbs.
45230	Dual-length	4"	2"	8 1/8" & 11 1/8"	7,500/750 lbs.
45050	Bulk black	4"	2"	8 1/4"	7,500/750 lbs.
45051	Retail pkg	4"	2"	8 1/4"	7,500/750 lbs.
45052	White box	4"	2"	8 1/4"	7,500/750 lbs.
45060	Bulk black	4"	2"	10 1/4"	7,500/750 lbs.
45067	Right-angle	4"	2"	10 1/4"	7,500/750 lbs.
45644	Reversible	4"	2"	10 1/2"	7,500/750 lbs.
45643	Reversible	4"	2"	10 1/2"	7,500/750 lbs. drop 6,000/600 lbs. rise
45270	Bulk black	4"	2"	13"	7,500/750 lbs.
45341	Forged	4"	3"	7"	17,000/2,550 lbs.
45070	Bulk black	6"	4"	9 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45297	Bulk chrome	6"	4"	9 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45240	Dual-length	6"	4"	9 1/4" & 12 1/4"	7,500/750 lbs. drop
45004	D-ring	6"	4"	10"	7,500/750 lbs. drop 6,000/600 lbs. rise
45080	Bulk black	6"	4"	12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45087	Right-angle	6"	4"	12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45280	Bulk black	6"	4"	14 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45336	Heavy Duty	6"	4 3/4"	9 3/8"	10,000/1,000 lbs.
45446	Heavy Duty	6"	5"	9 3/8"	12,000/1,200 lbs.
45342	Forged	6"	5"	9 1/2"	17,000/2,550 lbs.
45090	Bulk black	8"	6"	11 1/2"	5,000/500 lbs. drop 3,500/350 lbs. rise
45100	Bulk black	8"	6"	13"	5,000/500 lbs. drop 3,500/350 lbs. rise
45338	Heavy Duty	8"	6 3/4"	9 3/8"	10,000/1,000 lbs.
45448	Heavy Duty	8"	7"	9 3/8"	12,000/1,200 lbs.
45110	Bulk black	10"	8"	13"	5,000/500 lbs. drop 3,500/350 lbs. rise
45112	Bulk black	10"	8"	14"	5,000/500 lbs. drop 3,500/350 lbs. rise
2 1/2" Shank, For 2 1/2" x 2 1/2" Receiver Tube Openings					
45456	Forged	2"	1/2"	8 1/2"	20,000/2,700 lbs.
45425	Xtra Duty	3"	1 1/2"	9 1/2"	15,000/1,500 lbs.
45458	Forged	4"	2 1/2"	8 1/2"	20,000/2,700 lbs.
45426	Xtra Duty	5"	3 1/2"	10"	15,000/1,500 lbs.
45427	Xtra Duty	8"	6 1/4"	10 1/2"	15,000/1,500 lbs.

BALL MOUNTS SORTED BY RISE

- Multi-ball and multi-packs not listed



45155

Part#	Note	Drop	Rise	Length	GTW / TW
1 1/4" Shank, For 1 1/4" x 1 1/4" Receiver Tube Openings					
45503	Bulk black	1"	3/8"	7 13/16"	3,500/350 lbs.
45018	Bulk black	1 1/4"	5/8"	6 3/4"	2,000/200 lbs.
45019	Bulk black	1 1/4"	5/8"	9 3/4"	2,000/200 lbs.
45518	Bulk black	1 1/4"	3/4"	6 3/4"	3,500/350 lbs.
45519	Bulk black	1 1/4"	3/4"	9 3/4"	3,500/350 lbs.
45027	Bulk black	3 1/4"	2 5/8"	6 1/4"	2,000/200 lbs.
45017	Bulk black	3 1/4"	2 5/8"	6 1/4"	3,500/350 lbs.
45022	Bulk black	3 1/4"	2 5/8"	7 1/4"	2,000/200 lbs.
45521	Bulk black	3 1/4"	2 5/8"	7 1/4"	3,500/350 lbs.
45026	Bulk black	3 1/4"	2 5/8"	9 3/8"	2,000/200 lbs.
45016	Bulk black	3 1/4"	2 5/8"	9 3/8"	3,500/350 lbs.
45021	Bulk black	--	3"	9 1/2"	2,000/200 lbs.
45510	Bulk black	--	3 1/8"	10 5/16"	3,500/350 lbs.
45522	Bulk black	--	3 1/8"	11 1/4"	3,500/350 lbs.
45520	Bulk black	--	3 1/8"	9 3/4"	3,500/350 lbs.
45023	Bulk black	--	3 3/4"	11 1/2"	2,000/200 lbs.
45000	Bulk black	--	3 7/8"	13 1/2"	3,500/350 lbs.
45028	Bulk black	6"	4 5/8"	5 9/16"	2,000/200 lbs.
45024	Bulk black	--	5"	9 9/16"	2,000/200 lbs.
45014	Bulk black	--	5"	9 5/8"	3,500/350 lbs.
45025	Bulk black	--	5"	11 9/16"	2,000/200 lbs.
45015	Bulk black	--	5"	11 5/8"	3,500/350 lbs.
2" Shank, For 2" x 2" Receiver Tube Openings					
45131	Fusion 1 7/8"	2"	--	7 1/2"	5,000/500 lbs.
45134	Fusion 2"	2"	--	7 1/2"	7,500/750 lbs.
45034	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45293	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45041	Loaded 2 5/16"	2"	--	8 1/4"	7,500/750 lbs.
45036	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45295	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45331	Loaded 2 5/16"	2"	--	8 1/2"	15,000/1,500 lbs.
45810	Multi-use	2"	--	12 1/4"	7,500/750 lbs.
45151	Fusion 1 7/8"	4"	--	8 1/8"	5,000/500 lbs.
45154	Fusion 2"	4"	--	8 1/8"	7,500/750 lbs.
45055	Loaded 1 7/8"	4"	--	8 1/4"	3,500/350 lbs.
45056	Loaded 2"	4"	--	8 1/4"	7,500/750 lbs.
45042	Loaded 2 5/16"	4"	--	8 1/4"	7,500/750 lbs.
45332	Loaded 2 5/16"	4"	--	8 1/2"	15,000/1,500 lbs.
45820	Sway tab	2"	3/4"	7 1/2"	7,500/750 lbs.
45220	Dual-length	2"	3/4"	7 1/2" & 10 1/2"	7,500/750 lbs.
45030	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45010	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45290	Bulk chrome	2"	3/4"	8 1/4"	7,500/750 lbs.
45031	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45011	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45032	White box	2"	3/4"	8 1/4"	7,500/750 lbs.
45012	White box	2"	3/4"	8 1/4"	7,500/750 lbs.
45033	Poly with P&C	2"	3/4"	8 1/4"	7,500/750 lbs.

Part#	Note	Drop	Rise	Length	GTW / TW
2" Shank, For 2" x 2" Receiver Tube Openings (Cont)					
45040	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45020	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45296	Bulk chrome	2"	3/4"	10 1/4"	7,500/750 lbs.
45047	Right-angle	2"	3/4"	10 1/4"	7,500/750 lbs.
45260	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45250	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45340	Forged	2"	1"	8 1/2"	17,000/2,550 lbs.
45152	Fusion 1 7/8"	--	2"	8 1/8"	5,000/500 lbs.
45155	Fusion 2"	--	2"	8 1/8"	7,500/750 lbs.
45230	Dual-length	4"	2"	8 1/8" & 11 1/8"	7,500/750 lbs.
45050	Bulk black	4"	2"	8 1/4"	7,500/750 lbs.
45051	Retail pkg	4"	2"	8 1/4"	7,500/750 lbs.
45052	White box	4"	2"	8 1/4"	7,500/750 lbs.
45060	Bulk black	4"	2"	10 1/4"	7,500/750 lbs.
45067	Right-angle	4"	2"	10 1/4"	7,500/750 lbs.
45644	Reversible	4"	2"	10 1/2"	7,500/750 lbs.
45643	Reversible	4"	2"	10 1/2"	7,500/750 lbs. drop 6,000/600 lbs. rise
45270	Bulk black	4"	2"	13"	7,500/750 lbs.
45341	Forged	4"	3"	7"	17,000/2,550 lbs.
45070	Bulk black	6"	4"	9 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45297	Bulk chrome	6"	4"	9 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45240	Dual-length	6"	4"	9 1/4" & 12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45004	D-ring	6"	4"	10"	7,500/750 lbs. drop 6,000/600 lbs. rise
45080	Bulk black	6"	4"	12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45087	Right-angle	6"	4"	12 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45280	Bulk black	6"	4"	14 1/4"	7,500/750 lbs. drop 6,000/600 lbs. rise
45336	Heavy Duty	6"	4 3/4"	9 3/8"	10,000/1,000 lbs.
45446	Heavy Duty	6"	5"	9 3/8"	12,000/1,200 lbs.
45342	Forged	6"	5"	9 1/2"	17,000/2,550 lbs.
45090	Bulk black	8"	6"	11 1/2"	5,000/500 lbs. drop 3,500/350 lbs. rise
45100	Bulk black	8"	6"	13"	5,000/500 lbs. drop 3,500/350 lbs. rise
45338	Heavy Duty	8"	6 3/4"	9 3/8"	10,000/1,000 lbs.
45448	Heavy Duty	8"	7"	9 3/8"	12,000/1,200 lbs.
45110	Bulk black	10"	8"	13"	5,000/500 lbs. drop 3,500/350 lbs. rise
45112	Bulk black	10"	8"	14"	5,000/500 lbs. drop 3,500/350 lbs. rise
2 1/2" Shank, For 2 1/2" x 2 1/2" Receiver Tube Openings					
45456	Forged	2"	1/2"	8 1/2"	20,000/2,700 lbs.
45425	Xtra Duty	3"	1 1/2"	9 1/2"	15,000/1,500 lbs.
45458	Forged	4"	2 1/2"	8 1/2"	20,000/2,700 lbs.
45426	Xtra Duty	5"	3 1/2"	10"	15,000/1,500 lbs.
45427	Xtra Duty	8"	6 1/4"	10 1/2"	15,000/1,500 lbs.

BALL MOUNTS SORTED BY LENGTH


45230

- Multi-ball and multi-packs not listed

Part#	Note	Drop	Rise	Length	GTW / TW
1 1/4" Shank, For 1 1/4" x 1 1/4" Receiver Tube Openings					
45028	Bulk black	6"	4 5/8"	5 9/16"	2,000/200 lbs.
45018	Bulk black	1 1/4"	5/8"	6 3/4"	2,000/200 lbs.
45518	Bulk black	1 1/4"	3/4"	6 3/4"	3,500/350 lbs.
45027	Bulk black	3 1/4"	2 5/8"	6 1/4"	2,000/200 lbs.
45017	Bulk black	3 1/4"	2 5/8"	6 1/4"	3,500/350 lbs.
45022	Bulk black	3 1/4"	2 5/8"	7 1/4"	2,000/200 lbs.
45521	Bulk black	3 1/4"	2 5/8"	7 1/4"	3,500/350 lbs.
45503	Bulk black	1"	3/8"	7 13/16"	3,500/350 lbs.
45026	Bulk black	3 1/4"	2 5/8"	9 3/8"	2,000/200 lbs.
45016	Bulk black	3 1/4"	2 5/8"	9 3/8"	3,500/350 lbs.
45021	Bulk black	--	3"	9 1/2"	2,000/200 lbs.
45024	Bulk black	--	5"	9 9/16"	2,000/200 lbs.
45014	Bulk black	--	5"	9 5/8"	3,500/350 lbs.
45520	Bulk black	--	3 1/8"	9 3/4"	3,500/350 lbs.
45019	Bulk black	1 1/4"	5/8"	9 3/4"	2,000/200 lbs.
45519	Bulk black	1 1/4"	3/4"	9 3/4"	3,500/350 lbs.
45510	Bulk black	--	3 1/8"	10 5/16"	3,500/350 lbs.
45522	Bulk black	--	3 1/8"	11 1/4"	3,500/350 lbs.
45023	Bulk black	--	3 3/4"	11 1/2"	2,000/200 lbs.
45025	Bulk black	--	5"	11 9/16"	2,000/200 lbs.
45015	Bulk black	--	5"	11 5/8"	3,500/350 lbs.
45000	Bulk black	--	3 7/8"	13 1/2"	3,500/350 lbs.
2" Shank, For 2" x 2" Receiver Tube Openings					
45341	Forged	4"	3"	7"	17,000/2,550 lbs.
45131	Fusion 1 7/8"	2"	--	7 1/2"	5,000/500 lbs.
45134	Fusion 2"	2"	--	7 1/2"	7,500/750 lbs.
45820	Sway tab	2"	3/4"	7 1/2"	7,500/750 lbs.
45220	Dual-length	2"	3/4"	7 1/2" & 10 1/2"	7,500/750 lbs.
45152	Fusion 1 7/8"	--	2"	8 1/8"	5,000/500 lbs.
45155	Fusion 2"	--	2"	8 1/8"	7,500/750 lbs.
45151	Fusion 1 7/8"	4"	--	8 1/8"	5,000/500 lbs.
45154	Fusion 2"	4"	--	8 1/8"	7,500/750 lbs.
45230	Dual-length	4"	2"	8 1/8" & 11 1/8"	7,500/750 lbs.
45034	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45293	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45041	Loaded 2 5/16"	2"	--	8 1/4"	7,500/750 lbs.
45036	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45295	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45055	Loaded 1 7/8"	4"	--	8 1/4"	3,500/350 lbs.
45056	Loaded 2"	4"	--	8 1/4"	7,500/750 lbs.
45042	Loaded 2 5/16"	4"	--	8 1/4"	7,500/750 lbs.
45030	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45010	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45290	Bulk chrome	2"	3/4"	8 1/4"	7,500/750 lbs.
45031	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45011	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45032	White box	2"	3/4"	8 1/4"	7,500/750 lbs.
45012	White box	2"	3/4"	8 1/4"	7,500/750 lbs.

Part#	Note	Drop	Rise	Length	GTW / TW
2" Shank, For 2" x 2" Receiver Tube Openings (Cont)					
45033	Poly with P&C	2"	3/4"	8 1/4"	7,500/750 lbs.
45050	Bulk black	4"	2"	8 1/4"	7,500/750 lbs.
45051	Retail pkg	4"	2"	8 1/4"	7,500/750 lbs.
45052	White box	4"	2"	8 1/4"	7,500/750 lbs.
45331	Loaded 2 5/16"	2"	--	8 1/2"	15,000/1,500 lbs.
45332	Loaded 2 5/16"	4"	--	8 1/2"	15,000/1,500 lbs.
45340	Forged	2"	1"	8 1/2"	17,000/2,550 lbs.
45070	Bulk black	6"	4"	9 1/4"	7,500/750 lbs. drop
					6,000/600 lbs. rise
45297	Bulk chrome	6"	4"	9 1/4"	7,500/750 lbs. drop
					6,000/600 lbs. rise
45240	Dual-length	6"	4"	9 1/4" & 12 1/4"	7,500/750 lbs. drop
					6,000/600 lbs. rise
45336	Heavy Duty	6"	4 3/4"	9 3/8"	10,000/1,000 lbs.
45446	Heavy Duty	6"	5"	9 3/8"	12,000/1,200 lbs.
45338	Heavy Duty	8"	6 3/4"	9 3/8"	10,000/1,000 lbs.
45448	Heavy Duty	8"	7"	9 3/8"	12,000/1,200 lbs.
45342	Forged	6"	5"	9 1/2"	17,000/2,550 lbs.
45004	D-ring	6"	4"	10"	7,500/750 lbs. drop
					6,000/600 lbs. rise
45040	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45020	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45296	Bulk chrome	2"	3/4"	10 1/4"	7,500/750 lbs.
45047	Right-angle	2"	3/4"	10 1/4"	7,500/750 lbs.
45060	Bulk black	4"	2"	10 1/4"	7,500/750 lbs.
45067	Right-angle	4"	2"	10 1/4"	7,500/750 lbs.
45644	Reversible	4"	2"	10 1/2"	7,500/750 lbs.
45643	Reversible	4"	2"	10 1/2"	7,500/750 lbs. drop
					6,000/600 lbs. rise
45090	Bulk black	8"	6"	11 1/2"	5,000/500 lbs. drop
					3,500/350 lbs. rise
45810	Multi-use	2"	--	12 1/4"	7,500/750 lbs.
45260	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45250	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45080	Bulk black	6"	4"	12 1/4"	7,500/750 lbs. drop
					6,000/600 lbs. rise
45087	Right-angle	6"	4"	12 1/4"	7,500/750 lbs. drop
					6,000/600 lbs. rise
45270	Bulk black	4"	2"	13"	7,500/750 lbs.
45100	Bulk black	8"	6"	13"	5,000/500 lbs. drop
					3,500/350 lbs. rise
45110	Bulk black	10"	8"	13"	5,000/500 lbs. drop
					3,500/350 lbs. rise
45112	Bulk black	10"	8"	14"	5,000/500 lbs. drop
					3,500/350 lbs. rise
45280	Bulk black	6"	4"	14 1/4"	7,500/750 lbs. drop
					6,000/600 lbs. rise
2 1/2" Shank, For 2 1/2" x 2 1/2" Receiver Tube Openings					
45456	Forged	2"	1/2"	8 1/2"	20,000/2,700 lbs.
45458	Forged	4"	2 1/2"	8 1/2"	20,000/2,700 lbs.
45425	Xtra Duty	3"	1 1/2"	9 1/2"	15,000/1,500 lbs.
45426	Xtra Duty	5"	3 1/2"	10"	15,000/1,500 lbs.
45427	Xtra Duty	8"	6 1/4"	10 1/2"	15,000/1,500 lbs.

BALL MOUNTS SORTED BY GTW


45340

- Multi-ball and multi-packs not listed

Part#	Note	Drop	Rise	Length	GTW / TW
1 1/4" Shank, For 1 1/4" x 1 1/4" Receiver Tube Openings					
45021	Bulk black	--	3"	9 1/2"	2,000/200 lbs.
45023	Bulk black	--	3 3/4"	11 1/2"	2,000/200 lbs.
45024	Bulk black	--	5"	9 9/16"	2,000/200 lbs.
45025	Bulk black	--	5"	11 9/16"	2,000/200 lbs.
45018	Bulk black	1 1/4"	5/8"	6 3/4"	2,000/200 lbs.
45019	Bulk black	1 1/4"	5/8"	9 3/4"	2,000/200 lbs.
45027	Bulk black	3 1/4"	2 5/8"	6 1/4"	2,000/200 lbs.
45022	Bulk black	3 1/4"	2 5/8"	7 1/4"	2,000/200 lbs.
45026	Bulk black	3 1/4"	2 5/8"	9 3/8"	2,000/200 lbs.
45028	Bulk black	6"	4 5/8"	5 9/16"	2,000/200 lbs.
45520	Bulk black	--	3 1/8"	9 3/4"	3,500/350 lbs.
45510	Bulk black	--	3 1/8"	10 5/16"	3,500/350 lbs.
45522	Bulk black	--	3 1/8"	11 1/4"	3,500/350 lbs.
45000	Bulk black	--	3 7/8"	13 1/2"	3,500/350 lbs.
45014	Bulk black	--	5"	9 5/8"	3,500/350 lbs.
45015	Bulk black	--	5"	11 5/8"	3,500/350 lbs.
45503	Bulk black	1"	3/8"	7 13/16"	3,500/350 lbs.
45518	Bulk black	1 1/4"	3/4"	6 3/4"	3,500/350 lbs.
45519	Bulk black	1 1/4"	3/4"	9 3/4"	3,500/350 lbs.
45017	Bulk black	3 1/4"	2 5/8"	6 1/4"	3,500/350 lbs.
45521	Bulk black	3 1/4"	2 5/8"	7 1/4"	3,500/350 lbs.
45016	Bulk black	3 1/4"	2 5/8"	9 3/8"	3,500/350 lbs.
2" Shank, For 2" x 2" Receiver Tube Openings					
45034	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45293	Loaded 1 7/8"	2"	--	8 1/4"	3,500/350 lbs.
45055	Loaded 1 7/8"	4"	--	8 1/4"	3,500/350 lbs.
45090	Bulk black	8"	6"	11 1/2"	5,000/500 lbs. drop
					3,500/350 lbs. rise
45100	Bulk black	8"	6"	13"	5,000/500 lbs. drop
					3,500/350 lbs. rise
45110	Bulk black	10"	8"	13"	5,000/500 lbs. drop
					3,500/350 lbs. rise
45112	Bulk black	10"	8"	14"	5,000/500 lbs. drop
					3,500/350 lbs. rise
45152	Fusion 1 7/8"	--	2"	8 1/8"	5,000/500 lbs.
45131	Fusion 1 7/8"	2"	--	7 1/2"	5,000/500 lbs.
45151	Fusion 1 7/8"	4"	--	8 1/8"	5,000/500 lbs.
45155	Fusion 2"	--	2"	8 1/8"	7,500/750 lbs.
45134	Fusion 2"	2"	--	7 1/2"	7,500/750 lbs.
45041	Loaded 2 5/16"	2"	--	8 1/4"	7,500/750 lbs.
45036	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45295	Loaded 2"	2"	--	8 1/4"	7,500/750 lbs.
45810	Multi-use	2"	--	12 1/4"	7,500/750 lbs.
45820	Sway tab	2"	3/4"	7 1/2"	7,500/750 lbs.
45220	Dual-length	2"	3/4"	7 1/2" & 10 1/2"	7,500/750 lbs.
45030	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45010	Bulk black	2"	3/4"	8 1/4"	7,500/750 lbs.
45290	Bulk chrome	2"	3/4"	8 1/4"	7,500/750 lbs.
45031	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45011	Retail pkg	2"	3/4"	8 1/4"	7,500/750 lbs.
45032	White box	2"	3/4"	8 1/4"	7,500/750 lbs.
45012	White box	2"	3/4"	8 1/4"	7,500/750 lbs.
45033	Poly with P&C	2"	3/4"	8 1/4"	7,500/750 lbs.
45040	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45020	Bulk black	2"	3/4"	10 1/4"	7,500/750 lbs.
45296	Bulk chrome	2"	3/4"	10 1/4"	7,500/750 lbs.
45047	Right-angle	2"	3/4"	10 1/4"	7,500/750 lbs.
45260	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45250	Bulk black	2"	3/4"	12 1/4"	7,500/750 lbs.
45154	Fusion 2"	4"	--	8 1/8"	7,500/750 lbs.
45056	Loaded 2"	4"	--	8 1/4"	7,500/750 lbs.
45042	Loaded 2 5/16"	4"	--	8 1/4"	7,500/750 lbs.
45230	Dual-length	4"	2"	8 1/8" & 11 1/8"	7,500/750 lbs.
45050	Bulk black	4"	2"	8 1/4"	7,500/750 lbs.
45051	Retail pkg	4"	2"	8 1/4"	7,500/750 lbs.
45052	White box	4"	2"	8 1/4"	7,500/750 lbs.
45060	Bulk black	4"	2"	10 1/4"	7,500/750 lbs.
45067	Right-angle	4"	2"	10 1/4"	7,500/750 lbs.
45644	Reversible	4"	2"	10 1/2"	7,500/750 lbs.
45270	Bulk black	4"	2"	13"	7,500/750 lbs.
45643	Reversible	4"	2"	10 1/2"	7,500/750 lbs. drop
					6,000/600 lbs. rise
45070	Bulk black	6"	4"	9 1/4"	7,500/750 lbs. drop
					6,000/600 lbs. rise
45297	Bulk chrome	6"	4"	9 1/4"	7,500/750 lbs. drop
					6,000/600 lbs. rise
45240	Dual-length	6"	4"	9 1/4" & 12 1/4"	7,500/750 lbs. drop
					6,000/600 lbs. rise
45004	D-ring	6"	4"	10"	7,500/750 lbs. drop
					6,000/600 lbs. rise
45080	Bulk black	6"	4"	12 1/4"	7,500/750 lbs. drop
					6,000/600 lbs. rise
45087	Right-angle	6"	4"	12 1/4"	7,500/750 lbs. drop
					6,000/600 lbs. rise
45280	Bulk black	6"	4"	14 1/4"	7,500/750 lbs. drop
					6,000/600 lbs. rise
45336	Heavy Duty	6"	4 3/4"	9 3/8"	10,000/1,000 lbs.
45338	Heavy Duty	8"	6 3/4"	9 3/8"	10,000/1,000 lbs.
45446	Heavy Duty	6"	5"	9 3/8"	12,000/1,200 lbs.
45448	Heavy Duty	8"	7"	9 3/8"	12,000/1,200 lbs.
45331	Loaded 2 5/16"	2"	--	8 1/2"	15,000/1,500 lbs.
45332	Loaded 2 5/16"	4"	--	8 1/2"	15,000/1,500 lbs.
45340	Forged	2"	1"	8 1/2"	17,000/2,550 lbs.
45341	Forged	4"	3"	7"	17,000/2,550 lbs.
45342	Forged	6"	5"	9 1/2"	17,000/2,550 lbs.
2 1/2" Shank, For 2 1/2" x 2 1/2" Receiver Tube Openings					
45425	Xtra Duty	3"	1 1/2"	9 1/2"	15,000/1,500 lbs.
45426	Xtra Duty	5"	3 1/2"	10"	15,000/1,500 lbs.
45427	Xtra Duty	8"	6 1/4"	10 1/2"	15,000/1,500 lbs.
45456	Forged	2"	1/2"	8 1/2"	20,000/2,700 lbs.
45458	Forged	4"	2 1/2"	8 1/2"	20,000/2,700 lbs.