



# CARGO Scan fo digital of the control of the control

Scan for live digital version




Help your customers hit the road for a weekend of camping, tailgating or biking with CURT cargo management products. Wherever they are heading and whichever toys and equipment they want to have with them, a CURT roof rack, cargo carrier or bike rack will help them Bring It®!

CURT's bike rack line continues to expand with the addition of tray-style bike racks. Available for either two or four bikes, these racks are sure to help increase sales.

Our cargo carriers and roof racks are a great way to help your customers carry even more as they venture out with their families for a long weekend. Do not forget about our cargo nets, which are great add-on items, increasing your profits and keeping their belongings secure.

The majority of CURT cargo management products come in attractive, full-color packaging that is sure to catch the eye of your customers.

#### Benefits of CURT's cargo management line



Expanding line of bike rack styles



Wide variety of cargo carriers



Full line of cargo accessories












# HITCH-MOUNTED TRAY-STYLE BIKE RACKS

- Tilts away for rear vehicle access
- Adjustable arms for various bike heights and styles
- Compact storage sides fold up when not in use
- Anti-wobble shank
- Do not install on a trailer or other towed vehicle
- Durable powder coat finish



Pkg#	# of Bikes	Max Load	Tilt	Shank Size	Description
18084 <b>NEW</b>	2	90 lbs.	Yes	1 1/4" x 1 1/4"	2-bike bike rack
				2" x 2"	
18086 <b>NEW</b>	4	180 lbs.	Yes	2" x 2"	Extendable 4-bike bike rack






Easily adjusts for various bike styles




Tilts away for rear vehicle access



Threaded shank prevents wobble



Padded arms adjust for varying bike sizes



Compact storage, sides fold up



Removable 2-bike extension



#### 2 CLAMP-ON BIKE RACK

- Clamps onto a 2" x 2" ball mount shank
- Adjustable rubber cradles will not scratch bike frame
- Support straps included
- Easily accessible release handle
- Do not install on a trailer or other towed vehicle
- Durable powder coat finish



Easily accessible release handle



Fits 2" x 2" ball mount shank



Pkg#	# of Bikes	Max Load	Tilt	Description
18013	3	135 lbs.	No	3-bike clamp-on bike rack

- · Tilts away for rear vehicle access
- Adjustable rubber cradles will not scratch bike frame
- Arms fold down when not in use
- Support strap included
- Compact package makes part#s 18029 and 18030 retail-friendly
- Anti-wobble shank
- Do not install on a trailer or other towed vehicle
- Durable powder coat finish



Pkg#	# of Bikes	Max Load	Tilt	Shank Size	Description
18029	2	90 lbs.	Yes	1 1/4" x 1 1/4" and 2" x 2"	2-bike bike rack
18030	2 or 4	90 / 180 lbs.	Yes	1 1/4" x 1 1/4" and 2" x 2"	Extendable 2 or 4-bike bike rack
18033	3	135 lbs.	Yes	1 1/4" x 1 1/4" and 2" x 2"	3-bike bike rack
18034	4	180 lbs	Yes	1 1/4" x 1 1/4" and 2" x 2"	4-hike hike rack



Removable arm extenders save space



Tilts away for rear vehicle access



Threaded shank prevents wobble



Support strap included



Adjustable rubber cradle



Bolt-together post for compact packaging



18029 Packaged, easily fits on the shelf



18030 Packaged, easily fits on the shelf

#### HITCH-MOUNTED PREMIUM BIKE RACKS

- · Tilts away for rear vehicle access
- Tapered arms for easy mounting of smaller bikes
- Built-in reflectors
- Adjustable rubber cradles will not scratch bike frame
- · Arms fold down when not in use
- Anti-wobble base
- Do not install on a trailer or other towed vehicle
- Durable powder coat finish



18064 Packaged



Pkg#	# of Bikes	Max Load	Tilt	Shank Size	Description
18063	3	135 lbs.	Yes	2" x 2"	Premium 3-bike bike rack
18064	4	180 lbs.	Yes	2" x 2"	Premium 4-bike bike rack
18065	5	225 lbs.	Yes	2" x 2"	Premium 5-bike bike rack



Tilts away for rear vehicle access



Threaded shank prevents wobble

- Tilts away for rear vehicle access
- Rubber lined cradles will not scratch bike frame
- Lockable

Pkg#

18019

- · Do not install on a trailer or other towed vehicle
- Durable powder coat finish

# of Bikes

**Max Load** 

150 lbs.

Tilt

Yes

· Limited lifetime warranty



Tilts away for rear vehicle access

Description

Single-arm 4-bike bike rack

**Shank Size** 

2" x 2"




Accepts bike frames up to 1 1/4" diameter

18019	

### **BOLT-ON BIKE RACK**

4

- Tilts away for rear vehicle access
- · Bolts on to any ball mount or step bumper with a 3/4" hole (ball mount not included)
- Accepts up to two bikes
- · Coated arms will not scratch bike frame
- Do not install on a trailer or other towed vehicle



Lockable arms



Tilts away for rear vehicle access



Pkg#	# of Bikes	Max Load	Hole Size	Tilt	Description
18011	2	70 lbs.	3/4"	Yes	Bolt-on 2-bike bike rack

#### **BIKE RACK ACCESSORIES**

- · Great add-on items
- Support strap recommended for all hitch-mounted bike racks
- 18016 allows bike rack use with angled frame bicycles





### • Use with part# 18019, CURT cargo

**ANTI-RATTLE** 

- carriers and hollow shank accessories Stops rattling and prevents swaying of load
- when using hollow-shank towing accessories
- · Attractive, full-color, retail clamshell packaging







Pkg#	Length	Description
18016	Extends from 22 1/2" to 31"	Adjustable bike beam for carrying various bike frames
23666	6'	Heavy duty security cable
18050	1" wide by 61" long	Bike rack support strap







23590

Pkg#	Tube Size	Lock Diameter	Finish
22315	1 1/4"		Yellow zinc
22321	2"		Yellow zinc
23590	2"	5/8" with M16-2.0 threads	Zinc



















Capacity	Shank Size	Dimensions	Shank	Finish	Description
500 lbs.	2" x 2"	60" x 20" x 2 3/4"	Folding	Light-weight aluminum	Bolt-together carrier
500 lbs.	2" x 2"	60" x 20" x 2 3/4"	Fixed	Carbide	Bolt-together carrier
500 lbs.	2" x 2"	60" x 20" x 2 3/4"	Folding	Carbide	Bolt-together carrier
300 lbs.	1 1/4" x 1 1/4"	48" x 20" x 2 3/4"	Fixed	Carbide	Bolt-together carrier with 2" adjustment increments
	500 lbs. 500 lbs. 500 lbs.	500 lbs. 2" x 2" 500 lbs. 2" x 2" 500 lbs. 2" x 2"	500 lbs. 2" x 2" 60" x 20" x 2 3/4" 500 lbs. 2" x 2" 60" x 20" x 2 3/4" 500 lbs. 2" x 2" 60" x 20" x 2 3/4"	500 lbs. 2" x 2" 60" x 20" x 2 3/4" Folding 500 lbs. 2" x 2" 60" x 20" x 2 3/4" Fixed 500 lbs. 2" x 2" 60" x 20" x 2 3/4" Folding	500 lbs.       2" x 2"       60" x 20" x 2 3/4"       Folding Light-weight aluminum         500 lbs.       2" x 2"       60" x 20" x 2 3/4"       Fixed Carbide         500 lbs.       2" x 2"       60" x 20" x 2 3/4"       Folding Carbide







# BASKET STYLE CARGO CARRIERS

- Heavy duty, tubular, steel construction
- 6" tall sides for added security
- Compact package makes part# 18145 retail-friendly













18145 Packaged, easily fits on the shelf

Pkg#	Capacity	Shank Size	Dimensions	Shank	Finish	Description
18150 <b>NEW</b>	500 lbs.	2" x 2"	60" x 20" x 6"	Fixed	Carbide	Bolt-together basket carrier
18151* <b>NEW</b>	500 lbs.	2" x 2"	60" x 20" x 6"	Folding	Carbide	Bolt-together basket carrier
18152 <b>NEW</b>	500 lbs.	2" x 2"	60" x 24" x 6"	Fixed	Carbide	Bolt-together basket carrier
18153* <b>NEW</b>	500 lbs.	2" x 2"	60" x 24" x 6"	Folding	Carbide	Bolt-together basket carrier
18145	500 lbs.	1 1/4" x 1 1/4"	48" x 20" x 6"	Fixed	Carbide	Bolt-together basket carrier
		2" x 2"				with adapter sleeve*

<sup>\*</sup> Rear-mounted spare tires may interfere with the folding feature

# UNIVERSAL ATV CARGO CARRIER

- Includes mounting hardware
- Attractive, full-color retail packaging







Pkg#	Capacity	Finish	Dimensions
18101	Limited to ATV	Carbide	41" x 26" x 6 1/4"


# ROOF-MOUNTED CARGO BASKET

- Mounts to most roof rack base rails
- Simple, two-piece assembly
- · Lightweight and easy to install











#### CARGO NETS

 A simple way to quickly secure cargo






333
3
5
18201

Pkg#	Dimensions	Description
18202	43" x 24"	Standard cargo net for 60" wide carriers
18200	44" x 38"	Roof basket cargo net
18201	65" x 38"	Extended roof rack cargo net



18200 Packaged









### TRAILER HITCH RECEIVER TUBE OPENING EXTENDERS

- Extends receiver tube, providing additional clearance
- Durable powder coat finish









Bulk#	Shank Size	Extends	GTW / TW
45789	1 1/4"	7"	Not for towing use / 350 lbs.
45791	2"	8"	3,500 / 350 lbs.
45795	2"	14"	3,500 / 350 lbs.
45796	2"	18"	3,500 / 350 lbs.

#### Measuring extenders and adapters

Length is measured between pin-holes, from center to center













# TRAILER HITCH RECEIVER TUBE OPENING ADAPTERS

• Adapts receiver tube opening to a different size

• 45048 can be cut down from 34" to 24", has integrated



Bulk#	Adapts From	Adapts To	Length	GTW / TW
45785	1 1/4"	2"	6 1/4"	Not for towing use / 350 lbs.
45790	1 1/4"	2"	10"	Not for towing use / 350 lbs.
45770	2"	1 1/4"	4"	3,500 / 350 lbs.
45775	2"	1 1/4"	9 1/2"	3,500 / 350 lbs.
45780	2"	1 1/4"	15"	3,500 / 350 lbs.
45013	Vertical 2"	Standard 2"	4 1/4"	5,000 / 500 lbs.
45048	2 1/2"	2"	24"	8,000 / 800 lbs.
			34"	6,000 / 600 lbs.









REDUCER SLEEVE  Reduces a 2 1/2" x 2 1/2" receiver tube opening to a 2" x 2" opening

Bulk#	Length	Reduces From	Reduces To	Finish
45405	5 1/2"	2 1/2"	2"	Carbide







#### HAND WINCHES

- Cold-forged steel designs provide superior pinions strength and eliminate gear-to-shaft bonding failures
- A broached pinion shaft securely engages the pinion gears



Bulk#	Capacity	Gear Ratio	Hub Diameter	Handle Length	Broached Pinion Shaft
29403	900 lbs.	3.1:1	3/4"	7"	No
29404	1,200 lbs.	4.1:1	3/4"	7"	No
29405	1,400 lbs.	4.1:1	3/4"	7"	No
29407	1,700 lbs.	5.1:1	1"	8"	Yes
29408	1,900 lbs.	5.1:1	1"	8"	Yes
29409	2,100 lbs.	5.1:1	1"	10"	Yes

#### WINCH STRAP

- Made from no-stretch nylon web
- Zinc snap hook for easy hook-up
- Attractive, full-color retail packaging

Pkg#	Break Strength	Strap Width	Strap Length	Strap Material
29007	4,000 lbs.	2"	20'	Nylon



#### VEHICLE RECOVERY STRAP

- Designed to recover disabled vehicles
- Stronger and lighter than chain
- More compact than rope

Bulk#	Break Strength	Strap Width	Strap Length	Strap Material
83066	18,000 lbs.	2"	30'	Nylon



#### CARGO RATCHET STRAPS

- Ratchet straps securely hold cargo in place
- Soft webbing will not scratch your cargo







Bulk#	Break Strength	Strap Width	Strap Length	Description
83049	10,000 lbs.	2"	27'	Ratchet strap with J-hooks
83050	10,000 lbs.	2"	27'	Ratchet strap with flat hooks
83053	3,000 lbs.	1"	15'	Ratchet strap with J-hooks

# RECESSED ROPE RING & TRIM RING

- 3 1/2" diameter with 1/4" diameter D-ring
- Two mounting holes for 1/4" screws
- For 1/4" plywood





Bulk#	Capacity	Finish	Description
83710	1,000 lbs.	Zinc	1/4" dish design, 1 piece, 16 gauge steel D-ring
83720			Black plastic trim for 83710

#### ROPE D-RING

 Surface-mounted rope ring and formed steel bracket







83731

Bulk#	Pkg#	Capacity	Finish	Diam.	Description
83730	83731*	1,200 lbs.	Zinc	.225"	10 gauge D-ring
83732		1,200 lbs.	Stainless	.225"	10 gauge D-ring
* Package of two					

# RECESSED ROPE RING

• Requires 3" x 3/8" mounting hole

**Finish** 

Zinc



836	01	0	

**Description** 

Recessed rope ring

# WELD-ON POCKET ANCHOR

· Add a tie down point anywhere



Bulk#	Inside width	Inside depth	Finish
83072	3 1/2"	1 5/8"	Raw

# BACKING

**PLATES** 

Bulk#

83601

• Sturdy, steel construction

Capacity

1,200 lbs.





Bulk#	Finish	Description
83607	Powder	For use with rope and D-rings, 83600, 83650, 83740 and 83742
83610	White zinc	For use with D-rings, 83740 and 83742

#### FOLD AWAY ROPE HOOK

 Adds a convenient anchor point for trucks, trailers and vans





Bulk#	Pkg# Finish		Description	
83060	83061	Chrome	Folding rope hook	

# FORGED D-RING

• Includes 1 5/8" x 3/16" mounting bracket with square holes to accept 3/8" carriage bolts





3740	
10170	

Bulk#	Capacity Inside Diameter		Finish	Description
83740	11,000 lbs.	2 1/2" x 2 3/8"	Yellow zinc	1/2" forged D-ring
83742	11,000 lbs.	2 1/2" x 2 3/8"	White zinc	1/2" forged D-ring

# RECESSED FLOOR & WALL TIE DOWN

• Sturdy, steel construction





83600

83650

Bulk#	Capacity	Finish	Description
83600	5,000 lbs.	Zinc	Recessed tie down, 1/8" plate steel
83650	7,500 lbs.	Yellow zinc	Recessed tie down, 3/16" plate steel

# FORGED LASHING RING & BRACKETS

Lashing rings come with weld-on mounting brackets









Bulk#	Breaking Strength	Finish	Bracket Dims (W x H x D)	Ring Dims (W x H)	Ring Diameter
83750	18,000 lbs.	Raw	2 1/4" x 1 5/8" x 1 1/4"	4 1/4" x 4 1/4"	5/8"
83760	26,500 lbs.	Raw	2 1/4" x 1 5/8" x 1 1/4"	4 1/4" x 4 1/2"	3/4"
83770	46,760 lbs.	Raw	2 1/4" x 2 1/8" x 1 3/4"	5" x 5"	1"
83780	46,760 lbs.	Raw	2 1/4" x 2 1/8" x 1 3/4"	6" x 5"	1"